

MODEL: LPS-BM6 METAL TWS BASS SPEAKER USER MANUAL



Unit & Accessories







User Manual


Speaker

Charging Cable

Specifications

Model	LPS-BM6	
RMS	3W	
Wireless Version	5.0	
Battery Capacity	500mAh	
Playing Time	4 Hours	
Charging Time	2 Hours	
SNR	S/N≥85DB	
Product size	φ46x39.3mm	
Frequency	100-18KHz	
Wireless Frequency	2.4-2.48GHz	
Wireless Protocols	HS/HF, A2DP, AVRCP,OPP	

Interface



Quick Start




Do not use poor quality chargers

Indicator Status

	Red Light	Blue Light
Charging	ON	
Fully Charged		
Standby		ON
Playing		Blinking Slowly
Pairing		Blinking Quickly

Connection

- 1. Turn on the speaker.
- 2. Enable the Wireless Connection on the your device.
- 3. Search and find "LINK-BM6".




Warm Reminder

Low battery: The speaker will make a "beep" sound every a few seconds. Please charge it.


TWS

If you have two BM6 wireless speakers, you can pair them for true wireless stereo.Please follow the steps to make it.

Step 1: Please turn on two speakers.



Step 2: Press twice volume + button quickly and continuously (anyone of the two speakers), and two speakers will enter to pair with each other after the first "DUU" sound. You will hear the second "DUU" sound, then youmake it.



Step 3: Enable wireless setting on your device, search and click "LINK-BM6".





Notice

- Power on the default into the wireless pairing state, after power on the speaker will automatically search and pairing history devices.
- 2. Do not use the product with water around it.
- 3. Please wipe clean this product with a dry cloth.
- 4. Do not put the product close to open-flames, such as lighted candles.
- 5. Environmental issues should be taken into account when handling batteries.
- 6. Do not use the product in extreme temperatures.
- 7. Do not step on or squeeze the power cord.
- 8. Please do not repair this product by yourself, this product does not contain any parts that can be repaired by the user.

